

# TECHNICAL DATASHEET



**Article:** Style 426  
**Setting (Thr/cm):** 2,5/2,5  
**Weave:** Twill 2/2  
**Finish:** loomstate

<u>Construction:</u>	Warp	Weft
Yarn material <sup>1)</sup> :	Carbon 12K	Carbon 12K
Yarn number <sup>1)</sup> :	800 tex	800 tex

<u>Technical Data:</u>		Unit	Target	+/-	Tolerance
Fibre density <sup>1) 3)</sup>	Warp	g/cm <sup>3</sup>	1,80	+/-	0,04
	Weft	g/cm <sup>3</sup>	1,80	+/-	0,04
Linear density <sup>1)</sup>	Warp	tex	800	+/-	40
	Weft	tex	800	+/-	40
Twist <sup>1)</sup>	Warp	T/m		+/-	
	Weft	T/m		+/-	
Setting	Warp	Thr./cm	2,5	+/-	0,1
	Weft	Thr./cm	2,5	+/-	0,1
Weave			Twill 2/2		
Weight		g/m <sup>2</sup>	400	+/-	9
Dry weight		g/m <sup>2</sup>	400	+/-	9
Moisture content		%	0,5	+/-	max.
Thickness <sup>2)</sup>		mm	0,64	+/-	0,06
Width		cm	as ordered	+/-	+1 / -0

<sup>1)</sup> = n.G. = depending on order and yarn specification

<sup>3)</sup> = no measure, certified by supplier

<sup>2)</sup> = approximate value, not for release

**Remarks:**

<b>Date</b>  05.11.2009	<b>Q.A.</b>  Monika Dassel	<b>This Datasheet does not include Revision Service.</b>
-------------------------------	----------------------------------	--